



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Organization of:

Sociedad InnovoSafe SPA

***Ruta 5 Sur # 2450, Castro
Región de Los Lagos, Chile. C.P. 5700000***

*and hereby declares that the Organization is accredited in accordance with
the recognized International Standard:*

ISO/IEC 17025:2017

Whereby, technical competence has been confirmed for the associated scope supplement, in the fields of:

Biological, Chemical and Sampling Testing (As detailed in the supplement)

Accreditation claims for conformity assessment activities shall only be made from the addresses referenced within this certificate and shall apply solely to those activities identified in the related scope. This Accreditation is granted subject to the Accreditation Body rules governing the Accreditation referred to above, and the Organization hereby commits to observing and complying with those rules in their entirety.

For PJLA:

Initial Accreditation Date:

Issue Date:

Expiration Date:

March 23, 2023

May 13, 2025

June 30, 2027

Accreditation No.:

Certificate No.:

120595

L25-440

Tracy Szerszen
President

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

*The validity of this certificate is maintained through ongoing assessments based
on a continuous accreditation cycle. The validity of this certificate should be
confirmed through the PJLA website: www.pjlab.com*



Certificate of Accreditation: Supplement

Sociedad InnovoSafe SPA

Ruta 5 Sur # 2450, Castro
Región de Los Lagos, Chile. C.P. 5700000
Contact Name: Daniel Alvarez Phone: 569-935-98117

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Biological	Food, Surfaces and Food Handlers	Anaerobic Sulfite Determination Plate Count	NCh 2730	Plating	F1, F2	F
Biological	Food, Surfaces and Food Handlers	<i>Coliform</i> Determination Plate Count	NCh 2635/2	Plating	F1, F2	F
Biological	Food, Surfaces and Food Handlers	<i>Coliform & Fecal Coliforms</i> Determination MPN	NCh 2635/1	Most Probable Number (MPN)	F1, F2	F
Biological	Food, Surfaces and Food Handlers	<i>Escherichia coli</i> Determination MPN	NCh 2636	Most Probable Number (MPN)	F1, F2	F
Biological	Food, Surfaces and Food Handlers	<i>Escherichia coli</i> Determination (MPN/g)	FDA BAM Online Chapter 4	Most Probable Number (MPN)	F1, F2	F
Biological	Food, Surfaces and Food Handlers	Enumeration of <i>Escherichia coli</i>	NCh 3056 Horizontal Method	Most Probable Number (MPN)	F1, F2	F
Biological	Food, Surfaces and Food Handlers	<i>Listeria monocytogenes</i> Detection	NCh 2657	Plate Culture and Biochemical Confirmation	F1, F2	F
Biological	Food, Surfaces and Food Handlers	<i>Listeria monocytogenes</i> Detection	FDA BAM Online Chapter 10 ISO 11290-1	Plate Culture and Biochemical Confirmation	F1, F2	F
Biological	Food, Surfaces and Food Handlers	Horizontal Method for Detection and Enumeration of <i>Listeria monocytogenes</i>	NCh 2657/2	Plating	F1, F2	F
Biological	Food, Surfaces and Food Handlers	Aerobic Mesophilic Microorganisms Plate Count Determination	NCh 2659	Plating	F1, F2	F
Biological	Food, Surfaces and Food Handlers	Molds and Yeast Determination Plate Count	NCh 2734	Plating	F1, F2	F
Biological	Food, Surfaces and Food Handlers	<i>Staphylococcus aureus</i>	NCh 2671	Plating	F1, F2	F



Certificate of Accreditation: Supplement

Sociedad InnovoSafe SPA

Ruta 5 Sur # 2450, Castro
Región de Los Lagos, Chile. C.P. 5700000
Contact Name: Daniel Alvarez Phone: 569-935-98117

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Biological	Food, Surfaces and Food Handlers	<i>Staphylococcus aureus</i>	FDA/BAM, Online Chapter 12	Most Probable Number (MPN)	F1, F2	F
Biological	Food, Surfaces and Food Handlers	<i>Vibrio parahaemolyticus</i> Determination	FDA/BAM, Online Chapter 9	Most Probable Number (MPN)	F1, F2	F
Biological	Food, Surfaces and Food Handlers	<i>Vibrio parahaemolyticus</i> Detection	ISO 21872-1	Plate culture and Confirmation by PCR	F1, F2	F
Biological	Food, Surfaces and Food Handlers	<i>Coliforms</i> Detection	GOST R 52816	Tube Culture and Biochemical Confirmation	F1, F2	F
Biological	Food, Surfaces and Food Handlers	Aerobic Viable Count and Facultative Anaerobes	GOST 10444.15-94	Plating	F1, F2	F
Biological	Food, Surfaces and Food Handlers	<i>Staphylococcus aureus</i>	GOST 31746	Tube Culture and Biochemical Confirmation	F1, F2	F
Biological	Food, Surfaces and Food Handlers	<i>Coliforms</i> totals Determination	LAB/NT7 Section 3 Ministry of Health, Labour and Welfare of Japan (MHLW) Method	Plate Culture and Gram Stain	F1, F2	F
Biological	Food, Surfaces and Food Handlers	<i>Salmonella</i> Detection	NCh 2675	Plate Culture and Biochemical Confirmation	F1, F2	F
Biological	Food, Surfaces and Food Handlers	<i>Salmonella</i> spp. Detection	FDA BAM Online Chapter 5 ISO 6579-1	Plate Culture and Biochemical Confirmation	F1, F2	F
Biological	Food, Surfaces and Food Handlers	<i>Shigella</i> spp. Detection	NCh-ISO 21567	Plate Culture and Biochemical Confirmation	F1, F2	F
Biological	Food, Surfaces Handlers, Water and Surfaces	Determination of <i>Enterobacteriaceae</i>	NCh 2676	Plating	F1, F2	F
Biological	Environmental	Mold and Yeasts in Cold Rooms Determination	UEE Sanitary Standard for Refrigerators N4695	Plating	F1, F2	F
Biological	Food, Surfaces Handlers, Water and Surfaces	Determination of <i>Enterobacteriaceae</i>	NCh 2676	Plating	F1, F2	F



Certificate of Accreditation: Supplement

Sociedad InnovoSafe SPA

Ruta 5 Sur # 2450, Castro
Región de Los Lagos, Chile. C.P. 5700000
Contact Name: Daniel Alvarez Phone: 569-935-98117

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Biological	Food, Surfaces Handlers, Water and Surfaces	<i>Listeria monocytogenes</i> <i>Salmonella</i> spp. <i>Shigella</i> spp. <i>Vibrio parahaemolyticus</i>	PLB-001 In-House Method Multiplex Real-Time PCR	QPCR	F1, F4	F
Biological	Environmental	Mold and Yeasts in Cold Rooms Determination	UEE Sanitary Standard for Refrigerators N4695	Plating	F1, F2	F
Biological	Water and Ice	Enumeration of <i>Escherichia coli</i> and <i>Coliform</i> Bacteria	ISO 9308-1 Part 1: Membrane Filtration Method for Waters with Low Bacterial Flora	Plating	F1, F2	F
Biological	Water and Ice	Detection and enumeration of <i>Enterococcus</i>	ISO 7899-2 Part 2: Membrane Filtration Method	Plating	F1, F2	F
Biological	Water and Ice	Heterotrophic Plate Count	Standard Methods for the Examination of Water and Wastewater part 9000, Section 9215	Plating	F1, F2	F
Biological	Water	<i>Escherichia coli</i> Determination (MPN/100 mL)	Standard Methods for the Examination of Water and Wastewater part 9000, Section 9221	Most Probable Number (MPN)	F1, F2	F
Biological	Water	Fecal coliforms Determination (MPN/100 mL)	Standard Methods for the Examination of Water and Wastewater part 9000, Section 9221	Most Probable Number (MPN)	F1, F2	F
Biological	Water	Coliforms Determination (MPN/100 mL)	Standard Methods for the Examination of Water and Wastewater part 9000, Section 9221	Most Probable Number (MPN)	F1, F2	F



Certificate of Accreditation: Supplement

Sociedad InnovoSafe SPA

Ruta 5 Sur # 2450, Castro
Región de Los Lagos, Chile. C.P. 5700000
Contact Name: Daniel Alvarez Phone: 569-935-98117

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Chemical	Food	pH Determination	NCh 2738	Electrometric	F1, F2	F
Chemical	Water	Conductivity	Standard Methods for the Examination of Water and Wastewater part 2000, Section 2510	Electrometric	F1, F2	F
Chemical	Water	Turbidity	ME-03-2007 SISS MANUAL	Nefelometric	F1, F2	F
Chemical	Water	pH	ME-29-2007 SISS MANUAL	Electrometric	F1, F2	F
Chemical	Water	Smell	ME-25-2007 SISS MANUAL	Organoleptic	F1, F2	F
Chemical	Water	Color	ME-24-2007 SISS MANUAL	Pt-Co Scale	F1, F2	F
Chemical	Water	Flavor	ME-26-2007 SISS MANUAL	Organoleptic	F1, F2	F

FIELD OF SAMPLING	ITEMS, MATERIALS, OR PRODUCTS SAMPLED	TECHNIQUE OR METHOD USED	LOCATION OF ACTIVITY
Sampling	Hydrobiological Products, Surfaces, Handlers, Environments and Water	SERNAPESCA Safety and Certification Manual Part II , Section IV	O

1. Location of activity:

Location Code

- F Conformity assessment activity is performed at the CABs fixed facility
O Conformity assessment activity is performed onsite at the CAB's customer location



Certificate of Accreditation: Supplement

Sociedad InnovoSafe SPA

Ruta 5 Sur # 2450, Castro
Región de Los Lagos, Chile. C.P. 5700000
Contact Name: Daniel Alvarez Phone: 569-935-98117

Accreditation is granted to the facility to perform the following conformity assessment activities:

2. Flex Code:

- F0- Fixed scope item. No deviations allowed to the line item as identified, except for updating to the most recent version of an accredited standard method after verification.
- F1- Laboratory has the capability to test a new item, material, matrix, or product similar in composition to item, material, matrix, or product identified on the scope
- F2- Laboratory has the capability to introduce the newest revision of an accredited authoritative standard method (with no modifications) identified on the scope
- F3- Laboratory has the capability to introduce a parameter/component/analyte to an accredited test method identified on the scope
- F4- Laboratory has the capability to introduce a new revision of an accredited non-standard method using the same technology or technique identified on the scope
- F5- Laboratory has the capability to introduce a validated method that is equivalent to an accredited method (using same technology or technique) identified on the scope

